#### (19) World Intellectual Property Organization International Bureau





#### (43) International Publication Date 14 February 2002 (14.02.2002)

#### (10) International Publication Number WO 02/12674 A1

(51) International Patent Classification7: 43/25

E21B 37/06,

(21) International Application Number: PCT/GB01/03547

(22) International Filing Date: 7 August 2001 (07.08.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0019295.5 0020136.8 7 August 2000 (07.08.2000)

17 August 2000 (17.08.2000)

(71) Applicant (for all designated States except US): T R OIL SERVICES LIMITED [GB/GB]; Howe Moss Place, Kirkhill Industrial Estate, Dyce, Aberdeen AB2 0GL (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BOURNE, Hugh, Malcolm [GB/GB]; 1 Turnberry Drive, Inverurie, Aberdeenshire AB51 3WT (GB). HEATH, Stephen, Mark [GB/GB]; 15C Dee Street, Aberdeen AB11 6AW (GB).

(74) Agent: MURGITROYD & COMPANY; 373 Scotland Street, Glasgow G5 8QA (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CII, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(54) Title: METHOD FOR DELIVERING CHEMICALS TO AN OIL OR GAS WELL

(57) Abstract: A method of delivering chemicals to well such as an oil or gas well, the method comprising encapsulating the chemicals in or on a carrier particle such as starch, and delivering the carrier-encapsulated chemical to the well.

1

### METHOD FOR DELIVERING CHEMICALS TO AN OIL OR GAS WELL

1	
2	
3	This invention relates to a method for encapsulating
4	chemicals and particularly to a method for starch
5	and wax encapsulation of aggressive chemicals for
6	applications in the oil industry. The invention
7	relates especially to a method of delivering
8	chemicals to an oil or gas well, in encapsulated
9	form.
10	
11	Advances in drilling and completion technology have
12	revolutionized new field development and the use of
13	sub-sea wells with long tiebacks is now common. The
14	low temperatures and long fluid transport times
15	under sub-sea conditions often result in a wide
16	variety of production chemistry related problems,
17	including corrosion, scale, wax and asphaltene
18	deposition, hydrate formation, bacterial growth and
19	the transport of viscous fluids including emulsions.
20	The control of these problems is usually achieved by
21	continuous chemical injection at the sub-sea well
22	head along separate, multiple injection lines.

### **CONFIRMATION COPY**

2

The installation of multiple chemical injection 1 lines is extremely expensive both for subsea 2 wellhead and continuous downhole injection, 3 especially in deepwater environments. 4 5 A deployment method which allowed a reduction in the 6 7 number of chemical injection lines required to deliver the cocktail of chemicals required at each 8 wellhead would offer significant cost benefits. 9 10 11 The deployment of combined chemical treatment packages, for example scale and corrosion 12 inhibitors, has been considered as one method of 13 reducing the number of chemical injection lines. 14 This has been achieved on a limited commercial basis 15 by blending selected oilfield chemicals together to 16 form a compatible mixture. However, the development 17 of combined chemical packages is fraught with 18 difficulties due to compatibility issues and is 19 limited to a small range of products and product 20 types. This limits the types of combined treatment 21 available and depending upon the nature of the 22 problem often still results in the use of several 23 24 injection lines. 25 According to the present invention there is provided 26 a method of delivering a chemical to an oil or gas 27 well, the method comprising associating the chemical 28 with a carrier, and delivering the chemical plus 29 carrier to the well. 30 31

3

1 The chemical can be encapsulated by the carrier or 2 otherwise entrapped by the carrier. The carrier 3 preferably comprises a suspension or slurry of 4 particles onto or into which the chemical can be 5 loaded. A typical carrier is particulate starch, 6 but other good carriers can be encapsulating agents 7 conventionally known from e.g. the food, paint and pharmaceutical industries, such as gum arabic, 8 waxes, PVOH, polylactic acids, dextrins, low 9 viscosity modified starches, arabinogalactan, qum 10 acacia, casein, gelatin, carboxymethylcellulose, 11 12 tragacanth, karaya, sodium alginate, tannin, and 13 celluloses. 14 15 We have found that deploying the chemicals on or in a slurry of nano/micro particles can alleviate 16 17 compatibility issues during storage and deployment and thus facilitate the injection of multiple 18 chemicals via a single chemical injection line. 19 The 20 nano/micro particles can typically contain a high active level of oilfield chemical, typically 5-21 22 90%v/v, and can be dispersed in either an aqueous or oleic medium, and in solution or suspension, 23 24 depending upon the nature of the encapsulation matrix. The entrapped oilfield chemicals are 25 typically released upon contact with the produced 26 fluids due to the breakdown of the coating or 27 carrier matrix either thermally and/or as a result 28 of mixing with oil or water. The potential to 29 control the rate and extent of release as a function 30 of time can also allow chemicals to be transported 31 and released along different sections of the 32

1	pipeline, thus alleviating some of the kinetic
2	problems associated with scale, wax and hydrate
3	inhibitors in long subsea tie backs.
4	
5	This can enable the simultaneous delivery of
6	combined oilfield chemical packages to platform,
7	remote and complex wells through a single injection
8	line. The oilfield production chemical-entrapped
9	particles could be injected topsides, at sub sea
LO	wellheads or elsewhere in the well. The particles
L1	could also be applied to deliver oilfield chemicals
12	that cannot be effectively deployed by conventional
L3	solvents. Certain embodiments may include the
L <b>4</b>	delivery of a single oilfield chemical to a well
L5	while associated with a carrier such as the above-
<b>L</b> 6	mentioned compounds.
L7	
L8	The chemical is typically injected continuously into
L9	the well, typically through a dedicated fluid line.
20	
21	The nano/micro particle entrapment technology can be
22	applied to deliver a wide range and a wide
23	combination of oilfield production chemicals down
24	one injection line or umbilical. This includes, but
25	is not limited to scale inhibitors, corrosion
26	inhibitors, wax inhibitors, asphaltene inhibitors,
27	hydrate inhibitors, oxygen scavengers, hydrogen
28	sulphide scavengers, demulsifiers, biocides, gel
29	breakers, tracers, friction reducers, surfactants,
30	de-oilers and antifoaming agents. The oilfield
31	chemicals can be entrapped in either liquid or solid
32	form.

1	The particles can be manufactured using a variety of
2	techniques including complex coacervation,
3	interfacial polymerisation, desolvation, extrusion,
4	agglomeration, emulsion polymerisation, gelation,
5	chemical vapour deposition, fluid bed coating, spray
6	drying and combinations thereof. The particles can
7	be produced over a variable particle size,
8	typically, $1nm-850\mu m$ and can contain a high active
9	level of oilfield chemical, typically 1-90%v/v.
10	Nano/micro particles containing different oilfield
11	production chemicals can be dispersed into either an
12	aqueous or oleic carrier fluid, that may or may not
13	contain other oilfield production chemicals, using
14	either ionic or non-ionic surface active agents.
15	The material is preferably stable under injection
16	conditions in both aqueous and non-aqueous
17	environments at the ambient and sub-ambient
18	temperatures that may be encountered in a production
19	environment. The entrapped oilfield chemical can be
20	rapidly released from the encapsulating and/or
21	carrier medium as a result of either thermal
22	degradation of the matrix and/or dissolution in
23	either the oil or water phase, releasing the
24	oilfield chemical under wellhead conditions. The
25	release time of the chemical upon contact with the
26	produced fluids could also be delayed depending upon
27	the nature of the entrapment matrix. This can
28	allow chemicals to be transported and released along
29	different sections of the pipeline, thus enabling
30	the release of chemicals in the right place and
31	alleviating some of the kinetic problems associated

PCT/GB01/03547

1	with scale, wax and hydrate inhibitors in long sub
2	sea tie backs.
3	
4	The entrapment of certain oilfield chemicals could
5	reduce the corrosivity of the fluid to be deployed
6	into the wellhead or downhole injection system.
7	This could permit the umbilicals and downhole
8	injection lines to be fabricated from lower cost
9	carbon steels rather than the more expensive
10	stainless steels and/or corrosion resistant alloys.
11	
12	The particles containing different production
13	chemicals, in either solid or liquid form, can then
14	be mixed together to produce the required blend of
15	oilfield chemicals for dispersion into the fluid
16	carrying medium which may be aqueous or organic
17	based. The solid particles could be dispersed into
18	the fluid-carrying medium by use of a wide range of
19	different types of amphoteric, anionic, cationic and
20	nonionic surface-active agents. Amphoteric
21	surfactants could include acetates such as lauro-,
22	alkyl- and coco-amphoacetates, betaines such as
23	lauryl-, alkyl- and coco-amidopropylbetaines,
24	glycinates, imidazolines and propionates such as
25	lauro-, alkyl- and coco-aminodipropionate. Anionic
26	surfactants could include alkyl- alkylaryl-,
27	alkylether and alkylarylether sulphonates and
28	carbonates, lignin derivatives, olefine and paraffir
29	sulphonates, phosphate esters and sarcosinates.
30	Cationic surfactants could include amides, amines,
31	amidoamines, diamines and quaternaries such as
32	didecyldimethylammonium. Nonionic surfactants could

7

include alkoxylates such as alcohol-, alkylphenol-, 1 2 amide-, ester-, fatty acid- and glyceride 3 ethoxylates, alkylamides, amine oxides and esters. 4 5 The required dispersing characteristics could be 6 achieved for example by varying the ratio of a 7 sorbitan ester and a sorbitan ester ethoxylate to 8 achieve the desired hydrophilic - lipophilic balance 9 (HLB). 10 11 The chemical is typically coated or otherwise 12 associated with a carrier such as starch, flour or 13 The starch can decompose at a given 14 temperature releasing the chemical at a second 15 location where it is needed. Selection of the 16 characteristics of the carrier (e.g. starch) used 17 allows accurate control over the temperature of . 18 decomposition. Normally the temperature at the 19 wellhead will be hotter than the surface of the 20 The precise temperature at the wellhead will vary from well to well, and typical subsea wellheads 21 22 may have an ambient temperature of around 110°C 23 (compared with 20°C at surface). The starch or wax 24 coat can typically be designed to decompose when it 25 crosses a point on the temperature gradient and so 26 release the chemicals. In particular, wax carriers 27 can be designed to degrade or dissolve slowly or 28 after a set time has elapsed to release the 29 chemicals continuously over a period of time or 30 after a set interval e.g. in the production fluids. 31 The starch or wax may be modified to decompose at 32 different temperatures as may be necessary for

8

particularly shallow or particularly deep wells or 1 2 for any other reason in which the temperature of the 3 wellhead may be different from normal. 4 is typically granular starch, and resistant starch 5 made therefrom. The chemical is typically adsorbed onto the starch, typically by simple mixing. 6 7 Adjuncts useful in controlled release formulations 8 can be added. 9 10 All granular starches and flours (hereinafter 11 "starch") may be suitable for use herein and may be derived from any native source. A native starch as 12 used herein, is one as it is found in nature. Also 13 14 suitable are starches derived from a plant obtained by standard breeding techniques including 15 crossbreeding, translocation, inversion, 16 17 transformation or any other method of gene or chromosome engineering to include variations 18 thereof. In addition, starch derived from a plant 19 20 grown from artificial mutations and variations of the above genetic composition, which may be produced 21 22 by known standard methods of mutation breeding, are 23 also suitable herein. 24 25 Typical sources for the starches are cereals, 26 tubers, roots, legumes and fruits. The native source can be corn, pea, potato, sweet potato, 27 banana, barley, wheat, rice, sago, amaranth, 28 tapioca, arrowroot, canna, sorghum, and waxy or high 29 amylose varieties thereof. As used herein, the term 30 31 "waxy" is intended to include a starch containing at 32 least about 95% by weight amylopectin and the term

9

1 "high amylose" is intended to include a starch 2 containing at least about 40% by weight amylose. 3 4 Conversion products which retain their granular structure may be derived from any of the starches, 5 6 including fluidity or thin-boiling starches prepared 7 by oxidation, enzyme conversion, acid hydrolysis, heat and or acid dextrinization, and or sheared 8 products may also be useful herein. 9 10 11 Particularly useful are granular structures, which 12 have been "pitted" by the action of enzymes or acid, 13 leaving a still organised structure that creates a microporous starch. The enzymatic or acid hydrolysis 14 15 of the starch granule is carried out using techniques 16 well known in the art. The amount of enzyme used is 17 dependent upon the enzyme, i.e., type, source and 18 activity, as well as enzyme concentration, substrate 19 concentration, pH, temperature, the presence or absence of inhibitors, and the degree and type of 20 21 modification. Types of modifications are described herein, infra. These parameters may be adjusted to 22 optimise the nature and extent of the "pitting" of 23 24 the starch granule. 25 26 Another particulate starch useful in the controlled 27 release applications of the present invention is 28 resistant starch. Resistant starch is commonly known as a starch not likely to be adsorbed in the 29 small intestine of a healthy individual. Granular 30 or particulate starches, such as of the RS2-type (a 31 32 starch granule that resists digestion by pancreatic

1	alpha-amylase) and the RS4-type (a chemically
2	modified starch, such as acetylated,
3	hydroxyalkylated, or cross-linked starch) are
4	particularly suitable. However, resistant starches
5	of the RS3-type (retrograded, non-granular starch
6	formed by heat/moisture treatment of starch) are
7	also suitable for the instant invention due to their
8	high level of retrogradation or crystallisation from
9	the alignment and association of associated amylose.
10	
11	These types of resistant starch are well known in
12	the art and may be exemplified by that disclosed in
13	US Patent Nos. US 5,593,503 which describes a method
14	of making a granular resistant starch; US Patent
15	Nos. 5,281,276 and 5,409,542 which describe methods
16	of making resistant starches of the RS3 type; US
17	5,855,946 which describes a method of making a
18	resistant starch of the RS4-type; and U.S.
19	Application Serial No. 60/157370, which describes
20	the formation of a very highly resistant starch.
21	The methods for making the resistant starches are
22	described in the preceding references, the
23	disclosures of which are incorporated herein by
24	reference.
25	
26	The starch particulate, including granular and
27	resistant starches, may be modified by treatment
28	with any reagent or combination of reagents that
29	contribute to the controlled release properties of
30	the starch.
31	

1	Chemical modifications are intended to include
2	crosslinked starches, including crosslinking the
3	particulate starch with reactive polymers.
4	Preferred reactive polymers include starches
5	modified with aldehyde or silanol groups. Other
6	chemical modifications include, without limit,
7	acetylated and organically esterified starches,
8	hydroxyethylated and hydroxypropylated starches,
9	phosphorylated and inorganically esterified
10	starches, cationic, anionic, non-ionic, and
11	zwitterionic starches, and succinate and substituted
12	succinate derivatives of starch.
13	
14	Preferred modified starches are starch acetates
15	having a degree of substitution ("DS") of about up
16	to about 1.5, particularly those disclosed in US
17	5,321,132, thereby improving compatibility with
18	synthetic hydrophobic materials. Such
19	modifications are known in the art, for example in
20	Modified Starches: Properties and Uses, Ed.
21	Wurzburg, CRC Press, Inc., Florida (1986).
22	
23	Other suitable modifications and methods for
24	producing particulate starches are known in the art
25	and disclosed in U.S. Patent No. 4,626,288 which is
26	incorporated herein by reference. In a particularly
27	useful embodiment, the starch is derivatized by
28	reaction with an alkenyl cyclic dicarboxylic acid
29	anhydride by the method disclosed in U.S. Patent
30	Nos. 2,613,206 and 2,661,349, incorporated herein by
31	reference, or propylene oxide, more particularly by
32	reaction with octenylsuccinic anhydride.

1	The encapsulated chemicals can be carried in a
2	liquid-phase inhibitor or other chemical to be
3	delivered to the well that may be incompatible with
4	the encapsulated chemical. All chemicals to be
5	delivered could then be injected through a single
6	umbilical. Two umbilicals could be installed to
7	allow operations to continue in the event of one
8	blocking up. Additionally a third umbilical for
9	methanol could be provided. A total of three
10	umbilicals could therefore provide adequate cover
11	for a well. This represents a significant saving
12	when compared with the prior art, which requires
13	five or six umbilicals for comparable performance.
14	
15	Embodiments of the present invention will now be
16	described by way of example with reference to the
17	following examples.
18	
19	Example 1: Encapsulation of solid material
20	US Patent 4755397 to Eden et al (incorporated herein
21	by reference) describes a process for the starch
22	encapsulation of a solid material, namely, ferric
23	hydroxide, which can be adapted for the
24	encapsulation of oilfield chemicals as follows.
25	
26	The desired oilfield chemical is dissolved in
27	acidified water, dilute sodium hydroxide is added as
28	necessary while stirring to remove from the chemical
29	any trace precipitates. Ammonium sulphate, water and
30	high amylose (70%) cornstarch is added to the
31	chemical slurry to give a slurry of the following
32	composition:

13

Starch 410 grams 1 (19.98)2 Ammonium sulphate 610 grams (29.6%)3 Chemical 41 grams (2.0%) 1000 grams 4 Water (48.5%)This slurry is processed through a jet cooker (Model 5 6 C-1, National Starch & Chemical Corp) at 150°C. 7 this temperature the high amylose starch cooks, despite the presence of a high level of an 8 9 inhibiting salt, and forms a uniform dispersion. A ball valve attached to the outlet of the jet cooker 10 can be adjusted so that a pressure drop from maximum 11 12 cooking temperature and pressure to atmospheric pressure occurs as the starch cook passes through 13 the valve. Upstream the pressure is typically 14 15 90psig; downstream the pressure is typically Opsig. 16 As the starch passes through the valve and the 17 18 pressure is reduced to atmospheric, its temperature 19 drops to around 104°C, the boiling point of the salt 20 solution at atmospheric pressure. At this 21 temperature, the starch precipitates essentially 22 instantaneously entrapping the solid oilfield chemical. The product collected at the cooker 23 24 outlet is typically a slurry of tan particles 5 to 7 microns in diameter. The slurry, by volume, is a 25 26 third salt solution and two thirds precipitated 27 particles. This product is washed free of salt and 28 dried. 29 30 The dried particles (40% by weight) containing the 31 various oilfield chemicals are then mixed with a 32 synthetic white oil such as Isopar M (52% by weight)

1	and a polyalkoxylated alkyl phenol based dispersant	
2	(5% by weight) using a high shear, UltraTurrax mixer	
3	at 5000 rpm for 10 minutes. A clay based thickening	
4	agent (3% by weight) is then added to this mix and	
5	blended using a high shear, UltraTurrax mixer at	
6	10,000 rpm.	
7		
8	This process can be used for the production of	
9	encapsulated particles containing a) solid biocides;	
10	b) de-oilers; c)demulsifiers; d)scale inhibitors;	
11	e)corrosion inhibitors; f)wax inhibitors; and	
12	g)asphaltene inhibitors. The chemical-loaded	
13	particles are mixed in various combinations of	
14	chemicals and delivered through a single fluid	
15	delivery pipeline to a wellhead, where the	
16	temperature of around 110°C breaks down the starch	
17	particles and releases the chemicals. Optionally a	
18	liquid chemical such as a corrosion inhibitor is	
19	mixed with the carrier fluid conveying the particles	
20	to the well.	
21		
22	Example 2: Encapsulation of an Active Ingredient	
23	WO9901214 to Fester et al (incorporated herein by	
24	reference) describes a process for the encapsulation	
25	of an active ingredient, namely, solids and water-	
26	soluble fluids. This can be adapted for	
27	encapsulation of oilfield chemicals as follows.	
28		
29	Fifteen grams of PN (native potato starch) are added	
30	to 100ml water in which 2.5 g Tween 80 is dissolved.	
31	Four grams TSTP are dissolved in this suspension,	
32	followed by the addition of 20 g of salad oil. An	

15

1 emulsion forms with the aid of an Ultra-Turrax. 2 The o/w emulsion is then emulsified in a second 3 hydrophobic phase, namely 200ml of paraffin oil. 4 top stirrer at a speed of 600 rpm is used for this 5 purpose. 6 7 A solution of 0.65g NaOH in 10ml water is subsequently added to the emulsion with stirring, in 8 9 order to initiate partial gelation and cross-10 linking. After 30 minutes, the stirrer speed is 11 increased to 1000 rpm. After 4 hours the emulsion is 12 broken by addition of acetic acid. 13 14 The starch particles collected in the water/acetic 15 acid phase. After separation, the particles are washed with de-ionised water and stored. 16 17 Examination of the dispersed fluid by light 18 microscopy should indicate that the particles are 19 essentially mono dispersed with a size of 25  $\mu m$ 20 containing droplets of oil. 21 This process can be used for the production of 22 23 encapsulated particles containing solid and/or 24 liquid chemicals, namely, scale and corrosion inhibitors, oxygen and hydrogen sulphide scavengers, 25 demulsifiers, gel breakers, tracers and antifoaming 26 agents. However, the process could be applicable to 27 any solid or water-soluble chemicals. As before the 28 29 particulate- entrapped chemicals are mixed in 30 various combinations of chemicals and delivered through a single fluid delivery pipeline to a 31 wellhead, where the temperature of around 110°C 32

1	breaks down the starch particles an	d releases the
2	chemicals. Again the liquid phase	of the carrier
3	fluid can incorporate a further che	mical to be
4	delivered to the well.	
5		
6	Example 3: Encapsulation of a Water	Insoluble Liquid
7	US Patent 4755397 to Eden et al (in	corporated herein
8	by reference) describes a process f	or the starch
9	encapsulation of a water insoluble	liquid, namely,
10	peppermint oil, and this can be ada	pted for the
11	production of starch encapsulation	of hydrophobic
12	oilfield chemicals as follows.	
13		
14	A slurry is made of the following of	composition:
15	High Amylose (70%Corn Starch)	20%
16	Ammonium Sulphate	40%
17	Water	40%
18		
19	The following is mixed, to disperse	the hydrophobic
20	oilfield chemical and added, with m	nixing, to the
21	previous slurry:	
22		
23	Oilfield chemical	2-10%
24	Surfactants	90-98%
25		
26	The resulting slurry/coarse emulsion	on is jet-cooked
27	through a C-1 cooker as in Example	1. In this case,
28	the cooker outlet hose empties belo	w the surface of
29	a slurry of ammonium sulphate and i	ce in saturated
30	ammonium sulphate solution (-8°C.)	to condense and
31	trap any free peppermint oil vapour	s. The resulting
32	product is typically coarse (<20 me	sh) light tan

1

17

powder in salt solution. The powder is recovered by 2 filtration and dried. 3 4 A 3% weight aqueous solution of HEC is then prepared by slowly adding the powdered HEC to distilled water 5 6 and gradually increasing the mixing speed over a 7 five-minute period. Once a solution is formed a sorbitan ester ethoxylate based dispersant (6% by 8 weight) is added to the aqueous HEC mixture and 9 10 blended at 2000rpm for five minutes. The dried 11 particles (50% by weight) containing the various 12 oilfield chemicals are then mixed with the aqueous 13 solution of HEC and dispersant using a high shear, 14 UltraTurrax mixer at 5000 rpm for 10 minutes. 15 This process is particularly useful for 16 manufacturing encapsulated products containing oil 17 18 soluble scale and corrosion inhibitors, wax and asphaltene inhibitors, drag reducers, demulsifiers 19 20 A variety of these chemicals can be and de-oilers. 21 encapsulated as described above and delivered to a wellhead via a single injection line in various 22 23 combinations, without interaction between the chemicals in the line during delivery. Upon arrival 24 at the wellhead the starch capsules surrounding the 25 26 chemicals are broken down by the ambient temperature 27 at the wellhead, and the chemicals are released and activated in situ. Incorporation of incompatible 28 29 liquid phase chemicals in the carrier fluid does not affect the encapsulated chemical. 30 31

Example 4: Encapsulation of a solid or oil soluble
product.
US Patent 4997659 to Yatka et al (incorporated
herein by reference) describes a process for the
encapsulation of a powdered sweetener, namely,
Alitame in paraffin and/or microcrystalline wax.
This was adapted for the encapsulation of various
solid oilfield chemicals as listed above.
A 20% paraffin or micro-crystalline wax, of defined
melting point/80% solid oilfield chemical is
prepared by mixing the molten wax with the solid
chemical, cooling to form an agglomerate and
grinding up the agglomerate to form granules. These
granules are optionally further processed to form
spheres, using a spheroniser. The size of the
spheres is controlled by the granulation process but
is typically 1-50 $\mu$ m in diameter.
This process is typically used to produce paraffin
or microcrystalline wax-based particles containing
solid oilfield production chemicals such as scale,
wax and corrosion inhibitors, biocides and other
scavengers. In addition the wax particles can be
manufactured to entrap oil-based liquids such as
corrosion, wax and asphaltene inhibitors,
demulsifiers and de-oilers.
The nano/micro particles containing different
production chemicals, in either solid or liquid
form, are dispersed together to produce the required
blend of oilfield chemicals for dispersion into the

1 fluid carrying medium which was either aqueous or 2 The solid particles are dispersed organic based. 3 into the fluid-carrying medium by use of a wide 4 range of different dispersants. Suitable dispersants include fatty acid esters and 5 6 alkoxylated (e.g. methoxylated or ethoxylated) fatty 7 acid esters such as sorbitan ester and sorbitan ester ethoxylate; and PEG esters such as PEG 8 9 laurate. By varying the ratio of the ethoxylated sorbitan ester to the sorbitan ester the desired HLB 10 11 can be obtained. 12 13 The encapsulated oil field chemicals are mixed in 14 the desired proportions and delivered via a single 15 fluid delivery line to a wellhead, at which point the wax capsules degrade, releasing the chemical 16 into the wellhead environment. Optionally the two 17 or more chemicals that are delivered to the well can 18 be encapsulated by different methods e.g. according 19 20 to any of the examples herein, so that the different 21 particles release their chemical burdens at different points in the well, in response to 22 23 different stimuli. 24 25 Example 5: Encapsulation of a wax inhibitor by 26 starch. 27 A granular starch (150g, starch octenylsuccinate, 28 aluminum salt, commercially available from National 29 Starch and Chemical Company) was added to a wax 30 inhibitor XPC 3147C (50 g, Aldrich) which had been melted at a temperature greater than 30°C. 31 32 mixture was stirred at ambient temperature and

pressure in a high shear disperser (Torrence, 1 #785049) at 2000-4000 rpm. An additional 100 g of 2 the granular starch was added to the mixture and 3 stirred for two more minutes to form a fine, free-4 flowing powder. This is conveyed to a wellhead as 5 previously described through a single fluid line by 6 a carrier fluid that incorporates a scale inhibitor 7 8 that is incompatible with the wax inhibitor, without any reaction between the chemicals. The scale 9 inhibitor treats the fluid conduit continuously from 10 11 the point of entry to the wellhead, and the wax inhibitor is activated only after a longer period of 12 time as a result of the starch encapsulating matrix 13 14 dissolving in the produced fluids. 15 Example 6: Encapsulation of a water-soluble chemical 16 17 by starch. Water-soluble solids were formulated with starch at 18 a 1:1 ratio (50% loading on starch). The oil well 19 chemical was solubilised in ambient water and 20 homogenised for 1-2 minutes at 9000-10000 rpm 21 (Silverson L4RT). The starch was then added to the 22 solution and the mixture was further homogenised for 23 24 2-3 minutes at 9000-10000rpm, 20°C (Silverson L4RT). The mixture was spray dried (40% solids, 375°F inlet 25 temperature, 225°F outlet temperature with a feed 26 27 rate of 160ml/minutes and dual wheel atomisation using Bowen Lab Model (30" x 36") to produce a 28 flowable, non-sticky composition. 29 30 The example was carried out using a scale 31 a. inhibitor, Scaletreat 2001-28, as the oil well 32

1	chemical and Vulca 90, a maize starch
2	crosslinked with 1.5% epichlorohydrin on dry
3	starch.
4	b. The example was carried out using a corrosion
5	inhibitor, Corrtreat 2001-29 as the oil well
6	chemical and a starch acetate (1.5 DS) waxy
7	maize starch.
8	c. The example was carried out using a scale
9	inhibitor, Scaletreat 2001-26 as the oil well
10	chemical and a microporous waxy maize starch
11	that was digested using 0.3% glucoamylase on
12	dry starch to achieve 15% digestion.
13	
14	In each case, the encapsulated chemicals are mixed
15	as desired and delivered in mixtures of encapsulated
16	particles to the well-head through a single fluid
17	line. The encapsulated particles are degraded by
18	the fluid conditions at the well-head, and/or by
19	temperature, thereby delivering their active
20	reagents at the required position in the wellhead.
21	
22	Example 7: Encapsulation of a water insoluble
23	chemical by starch.
24	Water insoluble solids were formulated with starch
25	at a 1:1 ratio (50% loading on starch). The oil
26	well chemical was added to a waxy maize starch
27	modified with 3% octenyl succinic anhydride and
28	converted to a water fluidity of 40, and the mixture
29	was homogenised for 1-2 minutes at 9000-10000 rpm,
30	20°C (Silverson L4RT). Water was added to the
31	emulsion and the mixture was further homogenised, 1
32	minute at 9000-10000 rpm, 20°C (Silverson L4RT).

PCT/GB01/03547

31

32

The starch was then added to the solution and the 1 mixture was further homogenised, 1-2 minutes at 2 9000-10000 rpm, 20°C (Silverson L4RT). The mixture 3 was spray dried (35% solids, 380°F inlet 4 temperature, 230°F outlet temperature, 140-5 160ml/minutes with dual wheel atomisation using 6 Bowen Lab Model  $(30" \times 36")$ ) to produce a flowable, 7 non-sticky composition. 8 9 a. The example was carried out using a wax 10 inhibitor, Waxtreat 398 as the oil well chemical 11 and a microporous waxy maize which was 30% 12 digested with 0.3% glucoamylase, and modified 13 with 3% octenyl succinic anhydride and 14 crosslinked with 1% aluminium sulphate. 15 b. The example was carried out using an asphaltene 16 dispersant, Waxtreat 7302 as the oil well 17 chemical and a microporous waxy maize starch 18 modified using 3% octenyl succinic anhydride, 19 enzymatically treated using 0.3% glucoamylase, to 20 achieve 30% digestion. 21 c. The example was carried out using a hydrogen 22 sulphide scavenger, Scavtreat 1020 as the oil 23 well chemical and a high amylose corn starch, 24 HYLON® VII starch, commercially available from. 25 National Starch and Chemical Company. 26 d. The example was carried out using a kinetic 27 hydrate inhibitor, Hytreat 569 as the oil well 28 chemical and a microporous (30% enzyme digested) 29 waxy maize starch modified using 3% octenyl 30

succinic anhydride, enzymatically treated using

0.3% glucoamylase.

1	e. The example was carried out using an anti-
2	agglomerate hydrate inhibitor, Hytreat A560 as
3	the oil well chemical and a cationic starch
4	silanol, 0.3% Nitrogen, 0.4% silanol.
5	
6	Chemicals are delivered through a single delivery
7	line to a wellhead and also to a well bore and
8	formation. The wellhead chemicals are released from
9	their encapsulated particles at the prevailing
10	wellhead conditions and the formation chemicals are
11	only released upon reaching the more aggressive
12	prevailing conditions at the formation.
13	
14	Example 8
15	Starch was weighed out into a glass container. The
16	oil well chemical was added while mixing for 5
17	minutes and then mixed for an additional 5 minutes,
18	or until uniform using a Powerstat, Variable
19	Autotransformer set at 80 (3PN168), Bodine Electric
20	Co, Speed reducer motor (NSE-12R).
21	
22	a. Starch used was a 50:50 blend of sago and
23	tapioca, DD and the oil well chemical used was
24	Waxtreat 398. The starch:chemical ratio used was
25	100:40 and the loading was 28.6%.
26	b. Starch used was a high amylose (70%) maize starch
27	modified by 3% octenyl succinic anhydride and 10%
28	polyvinyl alcohol and the oil well chemical used
29	was Waxtreat 398. The starch:chemical ratio used
30	was 100:80 and the loading was 44.4%.
31	c. Starch used was enzyme converted (alpha amylase)
32	maltodextrin and the oil well chemical used was

PCT/GB01/03547

The starch: chemical ratio used was 1 Trosquat. 100:38 and the loading was 27.5%. 2 d. Starch used was enzyme converted (alpha amylase) 3 maltodextrin and the oil well chemical used was 4 Trosquat. The starch: chemical ratio used was 5 100:38 and the loading was 27.5%. 6 e. Starch used was a high amylose (70%) maize that 7 was gelatinised, completely enzymatically de-8 branched and retrograded and the oil well 9 chemical used was Hytreat A560. The 10 starch:chemical ratio used was 100:24 and the 11 loading was 19.3%. 12 13 The encapsulated chemicals are mixed as desired and 14 delivered to production tubing or other well 15 tubulars through a single fluid line. Once reaching 16 the target in the well the chemicals are released 17 through reaction to local conditions. 18 19 The wellhead is the preferred target of the 20 chemicals delivered in order to protect the tie 21 backs etc from corrosion or blockage, but it will be 22 appreciated that the present invention is not in any 23 way limited to the delivery of chemicals to the 24 wellhead, and in certain embodiments the delivery 25 target is another portion of the well, such as the 26 formation, the reservoir, the casing, production 27 tubing or other tubular or conduit. 28 29 Typical embodiments of the invention mitigate 30 compatibility problems with delivery of mixtures of 31 chemicals to platforms, remote and complex wells 32

WO 02/12674

1 through a single injection line. Some embodiments also facilitate the deployment of certain chemicals 2 that are difficult to handle, for example, because 3 they are very corrosive and/or are insoluble in 4 conventional solvents; for example, polyacrylate wax 5 6 inhibitors, either alone or in combination with other chemicals, where the chemicals or at least one 7 8 of them cannot be effectively deployed by conventional solvents. 9 10 11 Certain embodiments also enable the deployment of oilfield chemicals at high active concentrations, 12 13 for example, ethylene vinyl acetate (EVA) wax 14 inhibitors that cannot be effectively deployed at >10%v/v by conventional solvents. 15 16 While starch is a preferred entrapping or coating 17 medium a range of other materials could be used such 18 as natural gums, cellulose and derivatives, 19 polysaccharides, gelatin, wax, fatty acids, acrylic, 20 21 carboxyvinyl polymers, polyester, polystyrene, polycaprolactone, polyvinyl acetate, polyamides, 22 polyvinyl alcohol, polylactic acid, polyglycolide, 23 shellac, zein, oil based gels, silica gel and other 24 25 materials consisting of mixtures, copolymers, terpolymers and hydrophobically and/or 26 hydrophilically modified and cross-linked 27 28 derivatives of the above. 29 30 In certain embodiments the nano/micro particles can 31 be dispersed in an aqueous or oleic medium depending 32 upon the encapsulation matrix, and can contain one

26

or more soluble or dispersed oilfield production

2 chemicals.

3

4 Modifications and improvements can be incorporated

5 without departing from the scope of the invention.

1	Clai	ms
2	1.	A method of delivering a chemical to an oil or
3		gas well, the method comprising associating the
4		chemical with a carrier, and delivering the
5		chemical and carrier to the well.
6		
7	2.	A method as claimed in claim 1, wherein the
8		chemical is encapsulated by the carrier.
9		
10	3.	A method as claimed in any preceding claim,
11		wherein the chemicals are released from the
12		carrier upon contact with the produced fluids
13		in the well.
14		
15	4.	A method as claimed in any preceding claim,
16		wherein two or more chemicals are delivered via
17		a single chemical injection conduit.
18		
19	5.	A method as claimed in claim 4, wherein the two
20		chemicals are mutually incompatible.
21		
22	6.	A method as claimed in claim 4 or claim 5,
23		wherein the two or more chemicals are released
24		from the carrier at different locations in the
25		well.
26		
27	7.	A method as claimed in any preceding claim,
28		wherein the or each chemical is aggressive,
29		insoluble or corrosive.
30		

PCT/GB01/03547

1	8.	A method as claimed in any preceding claim,
2		wherein the chemical and carrier are carried by
3		a fluid to the desired point of delivery.
4		
5	9.	A method as claimed in claim 8, wherein the
6		fluid phase carries a further chemical to be
7		delivered to the well.
8		
9	10.	A method as claimed in claim 8 or claim 9,
10		wherein the fluid is aqueous fluid.
11		
12	11.	A method as claimed in claim 8, or claim 9
13		wherein the fluid is oleic or organic fluid.
14		
15	12.	A method as claimed in any preceding claim,
16		wherein the chemical-bearing carrier is
17		injected at surface.
18		
19	13.	A method as claimed in any preceding claim,
20		wherein the chemical-bearing carrier is
21		injected at a wellhead.
22		·
23	14.	A method as claimed in any preceding claim,
24		wherein the chemical is selected from the group
25		comprising scale inhibitors, corrosion
26		inhibitors, wax inhibitors and dispersants,
27		asphaltene inhibitors and dispersants, hydrate
28		inhibitors, oxygen scavengers, pour-point
29		modifiers, hydrogen sulphide scavengers,
30		demulsifiers, biocides, gel breakers, tracers,
31		friction reducers, surfactants, de-oilers and
32		antifoaming agents.

1	15.	A method as claimed in any preceding claim,
2		wherein the carrier is associated with the
3		chemical by a technique selected from the group
4		comprising coacervation, interfacial
5		polymerisation, desolvation, extrusion,
6		agglomeration, emulsion polymerisation,
7		gelation, chemical vapour deposition, fluid bed
8		coating, spray drying and combinations thereof.
9		
10	16.	A method as claimed in any preceding claim,
11		wherein the carrier is selected from the group
12		comprising starch or flour, gum arabic, waxes,
13		PVOH, polylactic acids, dextrins, low viscosity
14		modified starches, arabinogalactan, gum acacia,
15		casein, gelatin, carboxymethylcellulose,
16		tragacanth, karaya, sodium alginate, tannin,
17		and celluloses.
18		
19	17.	A method as claimed in any preceding claim,
20		wherein the chemical is continuously delivered
21		to the well.
22		
23	18.	A method as claimed in any preceding claim,
24		wherein the carrier and chemical forms a
25		particle.
26		
27	19.	A method as claimed in claim 18, wherein the
28		particle size is in the range of 1µm-20µm.
29		
30	20.	A method as claimed in any preceding claim,
31		wherein the carrier dissolves into the produced

30

fluids from the well after releasing the

2 chemical.

inten INTERNATIONAL SEARCH REPORT I Application No PCT/GB 01/03547 A. CLASSIFICATION OF SUBJECT MATTER IPC 7 E21B37/06 E21B43/25 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) E21B Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the International search (name of data base and, where practical, search terms used) EPO-Internal C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Category \* Relevant to claim No. X US 4 611 664 A (OSTERHOUDT III M GLENN ET 1-3,13, AL) 16 September 1986 (1986-09-16) 14 column 2, line 35 -column 3, line 13; claims 1,2,5-9,12-16 column 4, line 21 - line 49 X US 4 986 354 A (CANTU LISA A ET AL) 1-3,8, 22 January 1991 (1991-01-22) 10-12, 14,15, 17-20 column 1, line 38 -column 4, line 2 -/--Further documents are listed in the continuation of box C. X Patent family members are listed in annex. Special categories of cited documents:

	<ul> <li>Taler document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</li> <li>X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</li> <li>Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</li> <li>document member of the same patent family</li> </ul>
Date of the actual completion of the international search	Date of mailing of the international search report
4 December 2001	12/12/2001
Name and mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Tel (+31-70) 340-2040, Tx. 31 651 epo nt,  Fax (+31-70) 340-3018	Authorized officer  Boulon, A

Form PCT/ISA/210 (second sheet) (July 1992)

1

### INTERNATIONAL SEARCH REPORT

Interna Application No
PCT/GB 01/03547

	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	I Data and An atalan Ma
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
(	WO 93 22537 A (PROCTER & GAMBLE) 11 November 1993 (1993-11-11)  page 1, line 1 - line 30 page 4, line 31 -page 5, line 25 page 9, line 35 -page 11, line 15 page 16, line 11 - line 33; claims 1,5,6	1-5,8, 10,11, 14-18,20
X	US 4 986 353 A (CLARK CHARLES R ET AL) 22 January 1991 (1991-01-22)  column 1, line 37 -column 4, line 19	1-3,8, 10-12, 14,15, 17-20
!		

#### INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern II Application No PCT/GB 01/03547

Patent document dited in search report		Publication date		Patent family member(s)	Publication date
US 4611664	A	16-09-1986	NONE		
US 4986354	A	22-01-1991	NONE		
WO 9322537	Α	11-11-1993	US	5922652 A	13-07-1999
			AT	149237 T	15-03-1997
			ΑU	4227493 A	29-11-1993
			BR	9306321 A	26-03-1996
			CA	2134980 A1	11-11-1993
			CZ	9402703 A3	14-06-1995
			DE	69308297 D1	03-04-1997
			EP	0639240 A1	22-02-1995
			FI	945196 A	04-11-1994
			HU	70884 A2	28-11-1995
			JP	7506408 T	13-07-1995
			NO	944206 A	04-11-1994
			NZ	252502 A	29-01-1997
			RU	2111049 C1	20-05-1998
			SK	132294 A3	11-07-1995
			WO	9322537 A1	11-11-1993
US 4986353	Α	22-01-1991	NONE		

Form PCT/ISA/210 (patent family annex) (July 1992)

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

This Page Blank (uspto)